



Comment	Description	Designator	Footprint	LibRef	Quantity
Trans12V		*4	Trans_12V	Trans12V	1
FAT_single_BLC_pin		1, 2, 3	Single_BLC_fat_Pin	FAT_single_BLC_pin	3
220u	35V	C1, C2	El-d8-h14-F3.81	220u-35V	2
10u	35V	C3	El-d5-h11-F2.54	10u-35V	1
100n	SMD-0805 50V Y5V + 80/-20%	C4, C5	C1206(3216)	C_1206	2
100n	MKS4 100n 400V	C6	MKP 13x6 h12 R10	MKS4 100n 400V	1
1N4746	18V 1W	D1, D2, D3, D4, D500	DO-41-300	1N4746	5
3A-72V	Fuse	F1	FUSR_BOURNS_MF- RX_STYLE2-L20.67MM	FUSR_BOURNS_MF- RX300/72	1
TS-501 2P	10A/300V AC 5mm	K1	TS-501 2P-2.5	TS-501 2P	1
TS-501 3P	10A/300V AC 5mm	K2	TS-501 3P-2.5	TS-501 3P	1
1k	SMD 1206 0.125W 1% 200V	R1, R2, R3	R1206	R-1206-1%	3
REL_TYCO_SCHRACK_RT 31xxxx	RT PCB Relay Form C (1 CO Contact)	RL1	REL_TYCO_SCHRACK_RT 31XXXX	REL_TYCO_SCHRACK_RT 314012	1
2N4401	40V 0.6A 250MHz 6.5pF (5V)	T2	TO92C1	2N4401	1
BD238	80V 2A 3MHz	T?	TO126-10	BD238	1
7805		U1	TO220-1A 2.54	7805	1