

6

5

4

3

2


1

D

C

B

A



D

C

B

A

D

C

B


A

D

C

B

A



6



5

4


3

2

1






REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



DRAWN:	Ma Liangchao	DATED:	2008-05-20
CHECKED:	PATERSEA	DATED:	2008-05-21
QUALITY CONTROL:		DATED:	
RELEASED:		DATED:	

COMPANY:			
TITLE:			
T39M-TV2.0			
CODE:	SIZE:	DRAWING NO:	REV:
			V1.0
SCALE:			SHEET: 3 OF 5





6

5

4

3







2

1

说明:

1. 当前U10使用SI4720时:  
R74, R75不贴;  
R14, R16, C65, C66要贴;  
L3为600R@100M.
2. 当U10使用SI4702时:  
R74 0R 上拉, R75 0R 接地;  
R14, R16, C65, C66不贴;  
L3为0R.

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



COMPANY:			
TITLE:			
T39M-TV2.0			
CODE:	SIZE:	DRAWING NO:	REV: V1.0
SCALE:	SHEET: 5 OF 5		

DRAWN:	Ma Liangchao	DATED:	2008-05-20
CHECKED:	PATERSEA	DATED:	2008-05-21
QUALITY CONTROL:		DATED:	
RELEASED:		DATED:	